


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(configur\$5 and node\$1 and ((graphic\$5 or visual or icon\$5) near2 program\$1) and (input adj terminal\$1) and (output adj terminal\$1) and only and display\$5 and (subset\$1 or portion\$1 or part\$1) and source and target and (connect\$5 or wir\$5)).clm.	US-PGPUB; USPAT	OR	OFF	2006/01/11 16:14

[Sign in](#)



Web Results 1 - 10 of about 24 for "**graphical program**" node "**input terminal**" "**output terminal**" configura

Graphical system for modelling a process and associated method ...

This block diagram is the **graphical program** representing the ... **input terminal** to specify the record number and an **output terminal** for the date and time at ...

www.freepatentsonline.com/4914568.html - 191k - [Cached](#) - [Similar pages](#)

Patent 5497500: Method and apparatus for more efficient function ...

assembling on the screen a first data flow diagram Including said first **input terminal** icon, said first **output terminal** icon, said first function icon, ...

www.freepatentsonline.com/5497500.html - Supplemental Result - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

<div align=center>gocr ep0242131-001</div ...

This block diagram is the **graphical program** representing the instrument's operation.

... The method of Claim 22, wherein the **output terminal**-icons include a ...

swpat.ffii.org/patents/samples/ep242131/ep0242131.txt - 194k - [Cached](#) - [Similar pages](#)

[PDF] Graphical Programming and the Development of Construction Robots

File Format: PDF/Adobe Acrobat

Graphical Program-. ming, as the name implies, is a method of writing ... **Node**.

External Sensors. **Input terminal**. **Output terminal**. Input/Output. Figure Key ...

www.blackwell-synergy.com/doi/abs/10.1111/j.1467-8667.2004.00338.x - [Similar pages](#)

Method and apparatus for providing autoprobe features in a ...

... said input data to the first **input terminal** icon is ... same equation implemented using a formula **node**; FIG ... diagram editor 30 to create a **graphical program**, and the ...

www.patentstorm.us/patents/5652909.html - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

esp@cenet description view

Figures 10 - 20 illustrate **graphical program nodes** that may be included in a first

... each parameter may have an **input terminal**, **output terminal**, or both. ...

v3.espacenet.com/textdes?&DB=EPODOC&IDX=EP1077404&QPN=EP1077404 - 132k - Supplemental Result -

[Cached](#) - [Similar pages](#)

swpat.ffii.de/patents/txt/ep/0242/131/

357k - Supplemental Result - [Cached](#) - [Similar pages](#)

Bandwidth Market, Ltd

System and method for creating a **graphical program** including a plurality of ...

the local variable is set by an **output terminal** of a **node** In frame 1 (FIG. ...

bandwidthmarket.com/resources/patents/apps/2002/10/20020145629.html - 125k - Supplemental Result -

[Cached](#) - [Similar pages](#)

United States Patent Application: 0050155014

for example, the user may connect or wire an **output terminal** of another **node** in

the **Graphical program** to an **input terminal** 202 of the SDB **node** 200, ...

appft1.uspto.gov/.../20050155014&RS=DN/20050155014 - 196k - Supplemental Result - [Cached](#) - [Similar pages](#)

United States Patent: 4914568

a block diagram contains exactly one self reference **node 8i**, ... 21 shows an illustrative hardware **configuration** of an instrumentation system 204 according ...

www.nichepal.com/cgiproxy/nph-proxy.pl/010110A/ <http://patft.uspto.gov/netacgi/nph-Parser?Sect2=PTO1&Sec...> - 203k - Supplemental Result - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google ►

Result Page: 1 2 3 **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

"graphical program" node "input term" **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S58	1240	((715/763) or (715/967) or (717/104) or (717/105) or (717/109) or (717/113)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:40
S57	1541	S55 same S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:40
S56	1077476	(connecting or connected or connection\$1 or connect\$1 or wiring or wires or wired or wire) near5 (input\$1 or output\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:40
S55	22774	configur\$6 near6 node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:40
S59	24	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:45
S63	8150	S56 near4 automatic\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:53
S62	84857	node\$1 near4 (input\$1 or output\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:53
S67	1544	S65 same S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:37

S66	1077961	(connecting or connected or connection\$1 or connect\$1 or wiring or wires or wired or wire) near5 (input\$1 or output\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:37
S65	22802	configur\$6 near6 node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:37
S3	1377	S1 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:37
S69	1544	S65 same S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:38
S68	1242	((715/763) or (715/967) or (717/104) or (717/105) or (717/109) or (717/113)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:38
S5	19	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:38
S4	1065	((715/763) or (715/967) or (717/104) or (717/105) or (717/109) or (717/113)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:38
S73	8153	S66 near4 automatic\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:05

S72	84931	node\$1 near4 (input\$1 or output\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:05
S9	56	S6 same S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:05
S11	63	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 10:03
L3	80	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 10:03
L2	1242	((715/763) or (715/967) or (717/104) or (717/105) or (717/109) or (717/113)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 10:03
L1	22802	configur\$6 near6 node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 10:03
S49	39	S45 with (possib\$6 near3 input\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:17
L5	43	L4 with (possib\$6 near3 input\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:17

L4	60418	only near2 display\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:17
S64	62	S62 same S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:41
L8	8153	L6 near4 automatic\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:41
L7	84931	node\$1 near4 (input\$1 or output\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:41
L6	1077961	(connecting or connected or connection\$1 or connect\$1 or wiring or wires or wired or wire) near5 (input\$1 or output\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:41
L9	62	L7 same L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:42
S52	12	S40 same S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:57
L12	13	L10 same L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:57

L11	3947	L4 with (portion\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:57
L10	363334	input near2 terminal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:57
S54	140	S45 with S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:07
L14	145	L4 with L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:07
L13	252602	(portion or part or subset) near2 (input\$1 or output\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:07
S70	1242	((715/763) or (715/967) or (717/104) or (717/105) or (717/109) or (717/113)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:45
S74	62	S72 same S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:46
L16	1077961	(connecting or connected or connection\$1 or connect\$1 or wiring or wires or wired or wire) near5 (input\$1 or output\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:46

S71	24	S69 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:52
L23	24	L21 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:52
L21	1544	L20 same L16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:52
L20	22802	configur\$6 near6 node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:52
L24	214	(717/113).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:56
L22	1242	((715/763) or (715/967) or (717/104) or (717/105) or (717/109) or (717/113)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 13:56
L25	164	(715/967).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/01/11 14:26
L26	157	(715/967).CCLS.	USPAT	OR	OFF	2006/01/11 14:28
L27	57	(715/966).CCLS.	USPAT	OR	OFF	2006/01/11 14:32
L28	58	(715/966).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/01/11 15:13
L29	682	(715/835).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:14

L31	292	(715/763).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:20
L30	17	20 and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 15:20